

Rotary laser hedue Q1 in case

Self-leveling rotating laser with standard batteries and test certificate. For all horizontal leveling work.

QR code on the device.

The compact hedue Q1 construction laser is precise with a levelling accuracy of 1 mm at 10 m. You can rely on this, because we at hedue in Germany calibrate every rotating laser before delivery. You can retrieve the certificate via the QR code affixed to the device.

Rechargeable standard batteries!

The hedue Q1 rotating laser is powered by four rechargeable AA batteries. The battery compartment is easy to open and the batteries are simple to remove. You can recharge the batteries using the external charger (included in the scope of delivery). Also remove the batteries if you are not using the construction laser for a longer period of time. This protects the valuable electronics from damage caused by leaking batteries.

Simple operation.

This rotating laser has radically simplified operation. There are only two buttons on the construction laser itself: On/Off and Anti-Shake. Additional functions are only provided with the remote control. This makes it possible for an occasional user to leave the device without the remote control. You then have the security of knowing that the device can only be operated in self-levelling rotation. Incorrect measurements caused by incorrect operation are then ruled out.



Horizontal self-levelling by servomotors up to 5° inclination.



Easily accessible battery compartment and powered by standard batteries.


Features

- **Rainproof housing.**
- **Manual tilting of the X and Y axis.**
You can switch off the level control. The device then rotates in any inclined position. Fine adjustment of the inclination is then possible with the four arrow keys.
- **Display of slopes by switching off the self-levelling function.**
- **Can be used on tripods and wall mounts with 5/8" thread.**
- **Tested accuracy with free certificate on the device. (QR Code readable with smartphone.)**
The devices are individually tested and delivered with a calibration certificate.
- **Longer mileage and increased safety with the pause button.**
Use the Pause button to stop the rotation and turn off the laser beam. The level monitoring remains active and permanently checks the exact alignment of the machine. This allows you to restart the rotation at any time after an interruption in work. This increases safety on busy construction sites and spArt also increases energy.

- Working in bright light and at long distances in conjunction with laser detectors.
- Horizontal self-levelling by servomotors up to 5° inclination.
- Rotary laser in wooden case with batteries, charger, remote control and laser detector with holder.
- Easily accessible battery compartment and powered by standard batteries.



Can be used on tripods and wall mounts with 5/8" thread.



Tested accuracy with free certificate on the device. (QR Code readable with smartphone.)



Specifications

Working area with laser detector	500 m
Self-levelling range horizontal	5°
Levelling accuracy	1 mm / 10 m
Rotation speeds rpm	600
Laser class	II
Laser Diode	635 nm
Laserfarbe	rot
Opening angle of the line function	10°, 25°, 50°
IP protection class	IP54
Remote control reception range	20 m, 360°
Type of battery	AA
Number of batteries	4
Operating time in hours	10
Tripod thread	5/8"
Operating temperature	-10°C - +45°C
Weight	1,2 kg
Warranty / Months	24
EAN	4012589821415

Scope of Delivery

- Suitcase
- Test certificate
- [Laser detector hedue E2](#)
- Remote control
- Batteries Alkaline
- Battery charger
- QuickstArt